SERIAL DILUTION RESULTS SUMMARY

Login Number: D44495 Account: LTENCODE - LT Environmental Project: Hi-Tec Plastics

QC Batch ID: MP9697 Matrix Type: AQUEOUS Methods: SW846 6010C Units: ug/l

Prep Date:

Metal

(*) Outside of QC limits
(anr) Analyte not requested
(a) Serial dilution indicates possible matrix interference.



BLANK RESULTS SUMMARY Part 2 - Method Blanks

Login Number: D44495 Account: LTENCODE - LT Environmental Project: Hi-Tec Plastics

QC Batch ID: MP9708 Matrix Type: AQUEOUS Methods: SW846 7470A

Units: ug/l

Prep Date:

03/25/13

Metal	RL	IDL	MDL	MB raw	final	
Mercury	0.10	.011	.014	0.022	<0.10	

Associated samples MP9708: D44495-1F, D44495-2F, D44495-3F, D44495-4F, D44495-5F, D44495-6F, D44495-7F, D44495-8F, D44495-9F

Results < IDL are shown as zero for calculation purposes (\star) Outside of QC limits (anr) Analyte not requested



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D44495 Account: LTENCODE - LT Environmental Project: Hi-Tec Plastics

QC Batch ID: MP9708 Matrix Type: AQUEOUS Methods: SW846 7470A

Units: ug/l

Prep Date:

03/25/13

Metal	D44495-5F	Spikelot	QC
	Original MS	HGWSR1 % Rec	Limits
Mercury	0.026 3.7	3.13 117.6	75-125

Associated samples MP9708: D44495-1F, D44495-2F, D44495-3F, D44495-4F, D44495-5F, D44495-6F, D44495-7F, D44495-8F, D44495-9F

Results < IDL are shown as zero for calculation purposes (\star) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D44495 Account: LTENCODE - LT Environmental Project: Hi-Tec Plastics

QC Batch ID: MP9708 Matrix Type: AQUEOUS Methods: SW846 7470A

Units: ug/l

Prep Date:

03/25/13

Metal	D44495-5 Original		Spikelot HGWSR1		MSD RPD	QC Limit	
Mercury	0.026	3.8	3.13	120.8	2.7	20	

Associated samples MP9708: D44495-1F, D44495-2F, D44495-3F, D44495-4F, D44495-5F, D44495-6F, D44495-7F, D44495-8F, D44495-9F

Results < IDL are shown as zero for calculation purposes

- (*) Outside of QC limits
- (N) Matrix Spike Rec. outside of QC limits
- (anr) Analyte not requested



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D44495 Account: LTENCODE - LT Environmental Project: Hi-Tec Plastics

QC Batch ID: MP9708 Matrix Type: AQUEOUS Methods: SW846 7470A

Units: ug/l

Prep Date:

03/25/13

Associated samples MP9708: D44495-1F, D44495-2F, D44495-3F, D44495-4F, D44495-5F, D44495-6F, D44495-7F, D44495-8F, D44495-9F

Results < IDL are shown as zero for calculation purposes (*) Outside of QC limits (anr) Analyte not requested





03/27/13





Technical Report for

LT Environmental

Hi-Tec Plastics

046313001

Accutest Job Number: D44461

Sampling Date: 03/18/13

Report to:

LT Environmental 4600 West 60th Avenue Arvada, CO 80003 sborden@ltenv.com; kkenyon@ltenv.com

ATTN: Susan Borden

Total number of pages in report: 54



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Conference and/or state specific certification programs as applicable.

Brad Madadian Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO, ID, NE, NM, ND (R-027) (PW), UT (NELAP CO00049), TX (T104704511-12-1)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories. Test results relate only to samples analyzed.

Sections:

-1-

Table of Contents

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	6
Section 4: Sample Results	8
4.1: D44461-1: BH01 15'-17'	9
4.2: D44461-2: BH02 15'-17'	12
4.3: D44461-3: BH03 15'-17'	15
4.4: D44461-4: BH04 16-17.5'	
4.5: D44461-5: BH05 2'-4'	21
4.6: D44461-6: BH06 16-17.5'	
4.7: D44461-7: BH07 14-16'	27
Section 5: Misc. Forms	30
5.1: Chain of Custody	31
Section 6: GC Semi-volatiles - QC Data Summaries	33
6.1: Method Blank Summary	34
6.2: Blank Spike Summary	36
6.3: Matrix Spike/Matrix Spike Duplicate Summary	38
Section 7: Metals Analysis - QC Data Summaries	40
7.1: Prep QC MP9681: As,Ba,Cd,Cr,Pb,Mn,Se,Ag	41
7.2: Prep QC MP9693: Hg	51





Sample Summary

LT Environmental

Job No:

D44461

Hi-Tec Plastics

Project No: 046313001

Sample Number	Collected Date	Time By	Received	Matr Code		Client Sample ID
D44461-1	03/18/13	08:40 MU	03/19/13	SO	Soil	BH01 15'-17'
D44461-2	03/18/13	09:15 MU	03/19/13	SO	Soil	BH02 15'-17'
D44461-3	03/18/13	09:55 MU	03/19/13	SO	Soil	BH03 15'-17'
D44461-4	03/18/13	11:00 MU	03/19/13	SO	Soil	BH04 16-17.5'
D44461-5	03/18/13	11:30 MU	03/19/13	SO	Soil	BH05 2'-4'
D44461-6	03/18/13	12:30 MU	03/19/13	SO	Soil	BH06 16-17.5'
D44461-7	03/18/13	13:30 MU	03/19/13	SO	Soil	BH07 14-16'





CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental Job No D44461

Site: Hi-Tec Plastics Report Date 3/26/2013 2:03:50 PM

On 03/19/2013, 7 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 3.3 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D44461 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Extractables by GC By Method SW846 8082A

Matrix SO Batch ID: OP7564

- All samples were extracted and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D44461-3MS, D44461-3MSD, OP7564-MSMSD were used as the QC samples indicated.
- Sample(s) D44461-5 have compounds reported with "E" qualifiers indicating estimated value exceeding calibration range.
- Sample(s) D44461-5 have surrogates outside control limits. Probable cause due to matrix interference.
- D44461-5 Surrogate recovery outside control limits due to dilution.

Extractables by GC By Method SW846-8015B

Matrix SO Batch ID: OP7565

- All samples were extracted and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D44461-1MS, D44461-1MSD were used as the QC samples indicated.

Metals By Method SW846 6010C

Matrix SO Batch ID: MP9681

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D44461-1MS, D44461-1MSD, D44461-1SDL were used as the QC samples for the metals analysis.
- The serial dilution RPD(s) for Arsenic, Lead, Barium are outside control limits for sample MP9681-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).</p>
- MP9681-SD1 for Barium: Serial dilution indicates possible matrix interference.

Metals By Method SW846 7471B

Matrix SO Batch ID: MP9693

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D44461-1MS, D44461-1MSD were used as the QC samples for the metals analysis.



1

Wet Chemistry By Method SM19 2540B M

Matrix SO Batch ID: GN19395

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

[■] The data for SM19 2540B M meets quality control requirements.

Summary of Hits Job Number: D44461

Account:

LT Environmental Hi-Tec Plastics

Project: Collected:

03/18/13

Lab Sample ID Analyte	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
D44461-1	BH01 15'-17'					
Aroclor 1248 Total PCBs TPH-ORO (> C2 Barium Chromium Manganese	28-C40)	62.8 62.8 8.01 J 65.9 4.7 272	18 18 11 1.0 1.0 0.52	7.2 5.4 7.2	ug/kg ug/kg mg/kg mg/kg mg/kg mg/kg	SW846 8082A SW846 8082A SW846-8015B SW846 6010C SW846 6010C SW846 6010C
D44461-2	BH02 15'-17'					
Aroclor 1248 Total PCBs Barium Chromium Manganese		36.6 36.6 60.1 3.4 233	18 18 1.0 1.0 0.52	7.2 5.4	ug/kg ug/kg mg/kg mg/kg mg/kg	SW846 8082A SW846 8082A SW846 6010C SW846 6010C SW846 6010C
D44461-3	BH03 15'-17'					
Barium Chromium Manganese		46.6 1.9 241	1.1 1.1 0.53		mg/kg mg/kg mg/kg	SW846 6010C SW846 6010C SW846 6010C
D44461-4	BH04 16-17.5'					
Barium Chromium Lead Manganese		122 3.4 6.1 490	1.1 1.1 5.4 0.54		mg/kg mg/kg mg/kg mg/kg	SW846 6010C SW846 6010C SW846 6010C SW846 6010C
D44461-5	BH05 2'-4'					
Aroclor 1248 Total PCBs TPH-DRO (C10- TPH-ORO (> C2 Barium Chromium Lead Manganese		762000 E 762000 E 134 476 128 8.1 9.9 320	19000 19000 37 56 1.1 1.1 5.7 0.57	7400 5600 32 37	ug/kg ug/kg mg/kg mg/kg mg/kg mg/kg mg/kg	SW846 8082A SW846 8082A SW846-8015B SW846-8015B SW846 6010C SW846 6010C SW846 6010C SW846 6010C
D44461-6	BH06 16-17.5'					
Aroclor 1248 Total PCBs		242 242	19 19	7.5 5.7	ug/kg ug/kg	SW846 8082A SW846 8082A



Summary of Hits Job Number: D44461

Account:

LT Environmental Hi-Tec Plastics

Project: Collected:

03/18/13

Lab Sample ID Client Sample ID Analyte	Result/ Qual	RL	MDL	Units	Method
TPH-DRO (C10-C28) TPH-ORO (> C28-C40) Barium Chromium Manganese	938 3730 85.6 2.0 244	150 230 1.1 1.1 0.56	130 150	mg/kg mg/kg mg/kg mg/kg	SW846-8015B SW846-8015B SW846 6010C SW846 6010C SW846 6010C
D44461-7 BH07 14-16'				mg/kg	5 W 840 0010C
TPH-ORO (> C28-C40) Barium Chromium Manganese	19.3 33.1 3.0 193	11 1.2 1.2 0.58	7.6	mg/kg mg/kg mg/kg mg/kg	SW846-8015B SW846-6010C SW846-6010C SW846-6010C





Sample Results	
Report of Analysis	



Page 1 of 1

Report of Analysis

Client Sample ID: BH01 15'-17'
Lab Sample ID: D44461-1

Matrix: SO

SO - Soil SW846 8082A SW846 3546

Method: SW846 8082A Project: Hi-Tec Plastics **Date Sampled:** 03/18/13

Date Received: 03/19/13 **Percent Solids:** 92.4

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 EA14667.D 1 03/25/13 TR 03/20/13 OP7564 GEA594

Run #2

Initial Weight Final Volume

Run #1 30.0 g

10.0 ml

Run #2

PCB List

CAS No.	Compound	Result	RL	MDL	Units	Q
12674-11-2	Aroclor 1016	ND	18	7.2	ug/kg	
11104-28-2	Aroclor 1221	ND	18	13	ug/kg	
11141-16-5	Aroclor 1232	ND	18	13	ug/kg	
53469-21-9	Aroclor 1242	ND	18	7.2	ug/kg	
12672-29-6	Aroclor 1248	62.8	18	7.2	ug/kg	
11097-69-1	Aroclor 1254	ND	18	7.2	ug/kg	
11096-82-5	Aroclor 1260	ND	18	7.2	ug/kg	
37324-23-5	Aroclor 1262	ND	18	7.2	ug/kg	
11100-14-4	Aroclor 1268	ND	18	5.4	ug/kg	
1336-36-3	Total PCBs	62.8	18	5.4	ug/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
877-09-8	Tetrachloro-m-xylene	112%		10-17	′0%	
877-09-8	Tetrachloro-m-xylene	94%	10-170%			
2051-24-3	Decachlorobiphenyl	116%		13-18	34%	
2051-24-3	Decachlorobiphenyl	111%		13-18	34%	

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

Client Sample ID: BH01 15'-17'

Lab Sample ID: D44461-1 **Date Sampled:** 03/18/13 Matrix: SO - Soil Date Received: 03/19/13 Method: SW846-8015B SW846 3546 Percent Solids: 92.4

Project: Hi-Tec Plastics

File ID DF Analyzed By **Prep Date Prep Batch Analytical Batch** FI07382.D Run #1 03/21/13 AV 03/20/13 OP7565 **GFI543** Run #2

Initial Weight Final Volume Run #1 30.0 g 1.0 ml

Run #2

CAS No. Compound RL Result **MDL** Units Q TPH-DRO (C10-C28) ND 7.2 6.1 mg/kg TPH-ORO (> C28-C40) 7.2 8.01 11 mg/kg J Run# 1 CAS No. **Surrogate Recoveries** Run# 2 Limits 84-15-1 o-Terphenyl 78% 35-130%

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Client Sample ID: BH01 15'-17' Lab Sample ID: Matrix:

D44461-1 SO - Soil

Date Sampled: 03/18/13

Date Received: 03/19/13 Percent Solids: 92.4

Project:

Hi-Tec Plastics

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 2.6	2.6	mg/kg	1	03/20/13	03/21/13 јв	SW846 6010C ³	SW846 3050B ⁴
Barium	65.9	1.0	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Cadmium	< 1.0	1.0	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Chromium	4.7	1.0	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Lead	< 5.2	5.2	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Manganese	272	0.52	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Mercury	< 0.087	0.087	mg/kg	1	03/21/13	03/21/13 JM	SW846 7471B ²	SW846 7471B ⁵
Selenium	< 5.2	5.2	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Silver	< 3.1	3.1	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴

(1) Instrument QC Batch: MA3395 (2) Instrument QC Batch: MA3396 (3) Instrument QC Batch: MA3397 (4) Prep QC Batch: MP9681

(5) Prep QC Batch: MP9693

Page 1 of 1

Client Sample ID: BH02 15'-17'

Lab Sample ID:

D44461-2

Matrix: Method: SO - Soil

SW846 8082A SW846 3546

DF

Date Sampled: 03/18/13

Date Received:

03/19/13

Percent Solids: 92.4

Project:

Hi-Tec Plastics

Analytical Batch

Run #1

EA14668.D

File ID

30.0 g

By TR

Analyzed

03/25/13

Prep Date 03/20/13

Prep Batch OP7564

GEA594

Run #2

Initial Weight Final Volume

Run #1

10.0 ml

Run #2

PCB List

CAS No.	Compound	Result	RL	MDL	Units	Q
12674-11-2	Aroclor 1016	ND	18	7.2	ug/kg	
11104-28-2	Aroclor 1221	ND	18	13	ug/kg	
11141-16-5	Aroclor 1232	ND	18	13	ug/kg	
53469-21-9	Aroclor 1242	ND	18	7.2	ug/kg	
12672-29-6	Aroclor 1248	36.6	18	7.2	ug/kg	
11097-69-1	Aroclor 1254	ND	18	7.2	ug/kg	
11096-82-5	Aroclor 1260	ND	18	7.2	ug/kg	
37324-23-5	Aroclor 1262	ND	18	7.2	ug/kg	
11100-14-4	Aroclor 1268	ND	18	5.4	ug/kg	
1336-36-3	Total PCBs	36.6	18	5.4	ug/kg	
CAS No	Surrogate Recoveries	Run# 1	Run# 2	Lim	its	

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
877-09-8	Tetrachloro-m-xylene	120%		10-170%
877-09-8	Tetrachloro-m-xylene	101%		10-170%
2051-24-3	Decachlorobiphenyl	120%		13-184%
2051-24-3	Decachlorobiphenyl	113%		13-184%

ND = Not detected

MDL - Method Detection Limit

J = Indicates an estimated value B = Indicates analyte found in associated method blank

RL = Reporting Limit

N = Indicates presumptive evidence of a compound

E = Indicates value exceeds calibration range



Page 1 of 1

Client Sample ID: BH02 15'-17'

Lab Sample ID: D44461-2 Matrix: SO - Soil

Method: Project: SW846-8015B SW846 3546

Hi-Tec Plastics

Date Sampled: 03/18/13 **Date Received:** 03/19/13

Date Received: 03/19/13 **Percent Solids:** 92.4

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch
Run #1 F107362.D 1 03/20/13 AV 03/20/13 OP7565 GF1541

Run #2

Initial Weight Final Volume

Run #1 30

30.0 g 1.0 ml

Run #2

CAS No. Compound Result RL MDL Units Q

TPH-DRO (C10-C28) ND 7.2 6.1 mg/kg
TPH-ORO (> C28-C40) ND 11 7.2 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 74% 35-130%

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

Report of Analysis

Client Sample ID: BH02 15'-17' Lab Sample ID: D44461-2 Matrix:

SO - Soil

Date Sampled: 03/18/13 Date Received: 03/19/13

Percent Solids: 92.4

Project: Hi-Tec Plastics

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 2.6	2.6	mg/kg	1	03/20/13	03/21/13 јв	SW846 6010C ³	SW846 3050B ⁴
Barium	60.1	1.0	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Cadmium	< 1.0	1.0	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Chromium	3.4	1.0	mg/kg	1	03/20/13	03/20/13 јв	SW846 6010C ¹	SW846 3050B ⁴
Lead	< 5.2	5.2	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Manganese	233	0.52	mg/kg	1	03/20/13	03/20/13 јв	SW846 6010C ¹	SW846 3050B ⁴
Mercury	< 0.087	0.087	mg/kg	1	03/21/13	03/21/13 јм	SW846 7471B ²	SW846 7471B ⁵
Selenium	< 5.2	5.2	mg/kg	1	03/20/13	03/20/13 јв	SW846 6010C ¹	SW846 3050B ⁴
Silver	< 3.1	3.1	mg/kg	1	03/20/13	03/20/13 јв	SW846 6010C ¹	SW846 3050B ⁴

(1) Instrument QC Batch: MA3395 (2) Instrument QC Batch: MA3396 (3) Instrument QC Batch: MA3397

(4) Prep QC Batch: MP9681 (5) Prep QC Batch: MP9693

Client Sample ID: BH03 15'-17' Lab Sample ID: D44461-3

Matrix: SO - Soil Method:

Hi-Tec Plastics

SW846 8082A SW846 3546

Date Sampled: 03/18/13 Date Received: 03/19/13 Percent Solids: 94.2

File ID DF **Analyzed** By **Prep Date** Prep Batch **Analytical Batch** Run #1 EA14605.D 03/22/13 TR 03/20/13 OP7564 GEA591 1 Run #2

Initial Weight Final Volume Run #1 30.1 g 10.0 ml

Run #2

Project:

PCB List

CAS No.	Compound	Result	RL	MDL	Units	Q
12674-11-2	Aroclor 1016	ND	18	7.1	ug/kg	
11104-28-2	Aroclor 1221	ND	18	13	ug/kg	
11141-16-5	Aroclor 1232	ND	18	13	ug/kg	
53469-21-9	Aroclor 1242	ND	18	7.1	ug/kg	
12672-29-6	Aroclor 1248	ND	18	7.1	ug/kg	
11097-69-1	Aroclor 1254	ND	18	7.1	ug/kg	
11096-82-5	Aroclor 1260	ND	18	7.1	ug/kg	
37324-23-5	Aroclor 1262	ND	18	7.1	ug/kg	
11100-14-4	Aroclor 1268	ND	18	5.3	ug/kg	
1336-36-3	Total PCBs	ND	18	5.3	ug/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
877-09-8	Tetrachloro-m-xylene	95%		10-17	70%	
877-09-8	Tetrachloro-m-xylene	98%	10-170%			
2051-24-3	Decachlorobiphenyl	104%		13-18	34%	
2051-24-3	Decachlorobiphenyl	106%		13-18	34%	

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

Client Sample ID: BH03 15'-17'

Lab Sample ID: D44461-3 SO - Soil

Method: SW846-8015B SW846 3546

Project: Hi-Tec Plastics

Date Sampled: 03/18/13 **Date Received:** 03/19/13

Percent Solids: 94.2

File ID DF Analyzed By Prep Date Prep Batch Analytical Batch Run #1 F107364.D 1 03/20/13 AV 03/20/13 OP7565 GF1541

Run #2

Initial Weight Final Volume

Run #1 30.0 g 1.0 ml

Run #2

CAS No. RL **MDL** Compound Result Units Q TPH-DRO (C10-C28) 7.1 6.0 ND mg/kg TPH-ORO (> C28-C40) ND 11 7.1 mg/kg

CAS No. Surrogate Recoveries Run# 1 Run# 2 Limits

84-15-1 o-Terphenyl 86% 35-130%

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank



Page 1 of 1

Client Sample ID: BH03 15'-17' Lab Sample ID:

D44461-3

Matrix:

SO - Soil

Date Sampled: 03/18/13

Date Received: 03/19/13 Percent Solids: 94.2

Project:

Hi-Tec Plastics

Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Arsenic	< 2.7	2.7	mg/kg	1	03/20/13	03/21/13 јв	SW846 6010C ³	SW846 3050B ⁴
Barium	46.6	1.1	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Cadmium	< 1.1	1.1	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Chromium	1.9	1.1	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Lead	< 5.3	5.3	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Manganese	241	0.53	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Mercury	< 0.086	0.086	mg/kg	1	03/21/13	03/21/13 JM	SW846 7471B ²	SW846 7471B ⁵
Selenium	< 5.3	5.3	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴
Silver	< 3.2	3.2	mg/kg	1	03/20/13	03/20/13 JB	SW846 6010C ¹	SW846 3050B ⁴

(1) Instrument QC Batch: MA3395 (2) Instrument QC Batch: MA3396 (3) Instrument QC Batch: MA3397

(4) Prep QC Batch: MP9681 (5) Prep QC Batch: MP9693

Page 1 of 1

Report of Analysis

Client Sample ID: BH04 16-17.5'

Lab Sample ID: D44461-4 **Date Sampled:** 03/18/13 Matrix: SO - Soil Date Received: 03/19/13 Method: SW846 8082A SW846 3546 Percent Solids: 92.7

Project: Hi-Tec Plastics

30.1 g

File ID DF Analyzed $\mathbf{B}\mathbf{y}$ **Prep Date Prep Batch Analytical Batch** Run #1 EA14669.D 03/26/13 TR 03/20/13 OP7564 GEA594 Run #2

Initial Weight Final Volume Run #1

10.0 ml

Run #2

PCB List

CAS No.	Compound	Result	RL	MDL	Units	Q
12674-11-2	Aroclor 1016	ND	18	7.2	ug/kg	
11104-28-2	Aroclor 1221	ND	18	13	ug/kg	
11141-16-5	Aroclor 1232	ND	18	13	ug/kg	
53469-21-9	Aroclor 1242	ND	18	7.2	ug/kg	
12672-29-6	Aroclor 1248	ND	18	7.2	ug/kg	
11097-69-1	Aroclor 1254	ND	18	7.2	ug/kg	
11096-82-5	Aroclor 1260	ND	18	7.2	ug/kg	
37324-23-5	Aroclor 1262	ND	18	7.2	ug/kg	
11100-14-4	Aroclor 1268	ND	18	5.4	ug/kg	
1336-36-3	Total PCBs	ND	18	5.4	ug/kg	
CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits		
877-09-8	Tetrachloro-m-xylene	117%		10-17	70%	
877-09-8	Tetrachloro-m-xylene	97%	10-170%			
2051-24-3	Decachlorobiphenyl	116%		13-18	84%	
2051-24-3	Decachlorobiphenyl	110%		13-18	84%	

ND = Not detected

MDL - Method Detection Limit

RL = Reporting Limit

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

